

Specimen Test Menu

Collect, store, and transport all of these samples at room temperature (15-30° Celcius), unless otherwise specified.

GYN Cytology



ThinPrep® Pap Test 33717-0

ThinPrep	33717-0
ThinPrep with Imaging	33717-0
High-Risk HPV (w/ reflex Genotyping if positive)	49896-4
Chlamydia / Gonorrhea (CT/GC)	64017-7
Trichomonas vaginalis (TV)	46154-1

Non GYN Cytology 33716-2

CytoLyt® Solution

Abdominal fluid	Fine-needle aspiration
Bladder washings	Misc. fluid
Breast aspirate	Pericardial fluid
Breast discharge	Pleural fluid
Bronchial brushings	Sputum
Bronchial washings	Synovial fluid
Esophageal brushings	Urine



Anatomic Pathology Surgical Pathology Studies 11529-5

10% Neutral Buffered Formalin

Tissue biopsy



Michel's Solution

Tissue biopsy (Special studies)
Immunofluorescence



RPMI

Tissue biopsy (Special studies)
FLOW Cytometry
*Must be refrigerated (2-8° Celcius)



Aptima® Specimen Collection Kits

Multitest Swab Collection Kit (Female ONLY)

Chlamydia / Gonorrhea (CT/GC)	64017-7
Mycoplasma genitalium (MG)	69935-5
Trichomonas vaginalis (TV)	46154-1
Bacterial vaginosis (BV)	69568-4
Vaginitis Candida / Trichomonas (CV/TV)	62460-1
Herpes simplex virus 1 & 2 (HSV)	80354-4



Multitest Swab Collection Kit (Male ONLY)

Herpes simplex virus 1 & 2 (HSV)	80354-4
----------------------------------	---------

Multitest Swab Collection Kit (Throat or Rectal)

Chlamydia / Gonorrhea (CT/GC)	64017-7
-------------------------------	---------

Urine Collection Kit (Female & Male, 1st dirty catch)

Chlamydia / Gonorrhea (CT/GC)	64017-7
Mycoplasma genitalium (MG)	69935-5
Trichomonas vaginalis (TV)	46154-1



Urethral Collection Kit (Male Only)

Chlamydia / Gonorrhea (CT/GC)	64017-7
Mycoplasma genitalium (MG)	69935-5



The correct specimen collection technique is very important in preserving the specimen. Clinical Pathology Associates provides the collection containers for your convenience.

Let us know if you have any questions by contacting:

Laboratory 325-670-6527

Marketing Representative
Jennifer Talley 325-670-6513

Laboratory Manager
Vince Van Cleave 325-670-6522